

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3658169	secur\$5 or protect\$4 or guard\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 14:02
S2	9356593	socket\$3 or port\$4 or connect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 13:50
S3	10560	SSL or (secure near2 socket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 13:50
S4	66796	encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 13:50
S5	29778	decrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 14:19
S6	14507865	monitor\$4 or observ\$4 or watch\$4 or detect\$4 or analyz\$5 determin\$4 or figur\$4 or control\$4 or regulat\$4 or screen\$4 or check\$4 or direct\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 13:57
S7	3579213	sever or computer or CPU or processor or workstation or terminal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 13:57
S8	11807096	device or apparatus or hardware or peripheral or printer or drive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 13:57
S9	3782614	capacity or limit or threshold or load	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 13:58
S10	6469007	calculat\$4 or determin\$4 or figur\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 13:58

S11	6455157	set\$4 or assign\$4 or configur\$4 or apply\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 13:59
S12	8389	(S1 with S2) and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 13:59
S13	604666	S6 with S7 with S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 14:00
S14	412825	S9 with S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 14:00
S15	39583	S11 with S9 with S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 14:01
S16	98862	S11 with S9 with S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 14:01
S17	713	S12 and S13 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 14:18
S18	61	S15 and S16 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 14:27
S19	40	S18 and S4 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 14:28
S20	211	713/151.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 15:05

S21	66796	encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 15:05
S22	29778	decrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 15:05
S23	139	S20 and S21 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 15:05
S24	63	socket\$4 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 15:05
S25	3782614	capacity or limit or threshold or load	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 15:06
S26	47	S24 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 15:06
S27	6469007	calculat\$4 or determin\$4 or figur\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 15:06
S28	45	S26 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 15:31
S29	80478	number with (port or socket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 15:32
S30	7162	secure near2 socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 15:33

S31	27996	encrypt\$4 and decrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 15:33
S32	144950	socket.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 15:34
S33	23108	monitor\$4 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 15:34
S34	5	S29 and S30 and S31 and S32 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 15:34
S35	35	("5825890").URPN.	USPAT	OR	ON	2005/03/18 15:59
S36	0	("6754831").URPN.	USPAT	OR	ON	2005/03/18 16:14
S38	0	S35 and ((number or amount or count) with (socket or port) with (capacity or threshold or limit or load\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 16:17
S39	3	S35 and ((socket or port or connection) with (capacity or threshold or limit or load\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 16:18
S41	139	(limit.ab. or threshold.ab. or amount.ab.) and secure.ab. and socket.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 16:20
S42	117	S41 and @ad<"20020627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 16:20
S43	7162	secure near2 socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 16:20

S44	29	S42 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 05:37
S45	29	secur\$4 near2 socket\$4 near2 manag\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 05:46
S46	122	((secur\$4 near2 socket\$4) or SSL) near2 manag\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 05:57
S47	101	S46 and (server and device and number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 05:47
S48	63	S47 and ((calculat\$4 or determin\$4) with (threshold\$4 or load\$4 or limit\$4 or maximum))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 05:58
S49	122	((secur\$4 near2 socket\$4) or SSL) near2 manag\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 05:58
S50	585	((secur\$4 near2 socket\$4) or SSL) with manag\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 05:58
S51	212	S50 and ((calculat\$4 or determin\$4) with (threshold\$4 or load\$4 or limit\$4 or maximum))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 05:59
S52	164	S51 and @ad<"20020627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 06:02
S53	213	S50 and ((calculat\$4 or determin\$4) with (threshold\$4 or load\$4 or limit\$4 or maximum or capacity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 05:59

S54	164	S53 and @ad<"20020627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 06:00
S55	155	S54 and (server and device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 06:00
S56	140	S55 and (monitor\$4 or watch\$4 or observ\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 06:01
S57	0	S56 and (SSL.ab. or socket.ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 06:01
S58	145664	SSL.ab. or socket\$4.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 06:02
S59	61	S58 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 06:02
S60	49	S59 and @ad<"20020627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 06:02
S61	2636	server with (SSL or (secure near2 socket))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 08:08
S62	8468968	connect\$4 or exchang\$4 or transfer\$4 or session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 07:40
S63	3538784	capacity or threshold or maximum or limit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 07:40

S64	5	S61 with S62 with S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 08:09
S65	62	S61 same S62 same S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 08:09
S66	145280	socket.ab. or SSL.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 08:09
S67	13	S65 and S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 08:10
S68	2	("5802178").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/19 07:52
S69	13	"5802178"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 07:53
S70	27	"6343324"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 07:53
S71	2751	server with (SSL or TLS or (secure near2 socket))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 08:08
S72	5	S71 with S62 with S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 08:09
S73	64	S71 same S62 same S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 08:09

S74	154817	socket.ab. or SSL.ab. or TLS.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 08:09
S75	2	S73 not S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 08:26
S76	22	SSL.ab. and proxy.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 08:41
S77	2	("6681327").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/19 08:29
S78	0	("6681327").URPN.	USPAT	OR	ON	2005/03/19 08:30
S79	12	((("6301609") or ("6363065") or ("6680922") or ("6681252") or ("6731630") or ("6738390"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/19 09:45
S80	4	"20020112152" "20020120760"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 09:57
S81	8	((("5802178") or ("6343324") or ("6367009") or ("6732269"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/19 09:58
S82	10	((("5802178") or ("6343324") or ("6367009") or ("6732269") or ("6681327"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/19 09:58
S83	11	(S80 or S81) and ((CPU or processor or computer or terminal or server) with (utiliz\$4 or load\$4 or session or request\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 10:30
S84	4	(S80 or S81) and (server with parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 10:31

S85	2	(S80 or S81) and (server with memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 10:31
-----	---	---------------------------------------	---	----	----	------------------